



# The future in Plunge Pools has arrived!


Find your nearest dealer at  
[oasispas.com.au](http://oasispas.com.au)

# CUSTOMER SUPPORT GUARANTEE

Every Oasis Plunge Pool comes with three levels of support for your total piece of mind. Oasis Plunge Pools are built and backed by a major international manufacturer with offices in Australia, Europe and Asia.

The national Oasis network provides professional in-house, after sales support, help and advice to our network of long-standing retailers to ensure serviceability is achieved to maintain the highest level of support.

The accessibility of your local retail outlet offers active support, service, parts and knowledgeable advice to you after the purchase of your Oasis Plunge Pool.







# WELCOME TO YOUR NEW LIFESTYLE

Revolutionary function, form and design in Plunge Pools has arrived with the Atlantis and Atlas Plunge Pools Range by Oasis Spas.

Oasis Plunge Pools are designed and engineered in Australia to meet all Australian Standards and to stand up to the Australian climate.

With a range of models and specification to incorporate traditional pool functionality, to the world leading "Adaptive Flow Control" Inverter Swim System, an Oasis Plunge Pool will transform the way plunge pools are perceived in Australia.

Formed using advanced acrylic and fibreglass technologies, the sleek modern design of the Oasis Plunge Pool range will not only enhance your property but your lifestyle as well.

The functionality of the Oasis Plunge Pool allows for easy installation and integration with your home.

The Oasis Plunge range is designed with integrated LED lighting systems, temperature control, filtration and plumbing systems ensuring a trouble free and simple installation process.

The structural design allows either free standing above ground installation or inground installations.

With no need for extensive ground works or infrastructure, the Oasis Plunge Pool is completely portable and can be placed directly onto a concrete slab for convenient and easy installation.

The insulated cabinet, shell structure and lockable hard cover of the Oasis Plunge Pools retain warmth, in effect reducing energy consumption and saving money in comparison to traditional plunge pool construction.

Gone are the days of a few months of warm water swimming, whilst in the cooler months a traditional pool sits idle, costing you money without being able to enjoy your investment. Each Oasis Plunge Pool model features an inbuilt computer-controlled heating system so that you can enjoy your Oasis Plunge Pool all year long. In-built auxiliary heater outlets allow for the addition of alternative heating sources such as heat pump, gas or solar heating to easily be connected to your new Oasis Plunge Pool.



OASIS HAS GLOBAL STRENGTH  
WITH A NETWORK OF 40 COUNTRIES  
AROUND THE WORLD

# ATLAS 4.4 STANDARD

DIMENSIONS: 4420x 2350mm x 1290mm

DRY WEIGHT: 775KG

FILLED WEIGHT: 6915KG

WATER CAPACITY: 6140 LITRES

*\*Pro Premium model pictured.*



## ACRYLIC COLOUR OPTIONS



Ocean  
Wave



Sterling  
Marble



Midnight  
Opal

# ATLAS 4.4 SERIES



## SPECIFICATIONS

PLUNGE	HYDRO	PRO LUXURY	PRO PREMIUM
<b>PUMPS</b>			
-	2 x 3hp Swim Jet Pump	3 x 3hp Swim Jet Pump	2 x 3.5hp Swim Jet Pump 1 x 3hp Swim Jet Pump
1 x .5hp Filtration Pump	1 x .5hp Filtration Pump	1 x .5hp Filtration Pump	1 x .5hp Filtration Pump
<b>JETS</b>			
-	2 x Swim Jets	4 x Swim Jets	4 x Swim Jets
<b>FILTRATION &amp; SANITISATION</b>			
100sqft Filtration	100sqft Filtration	100sqft Filtration	100sqft Filtration
Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation
<b>CONTROLLER &amp; HEATING</b>			
Spa Tech C-III(200) +MP30	Spa Tech C-III(200) +MP30	Gecko IN.YE3 + IN.K1001	Gecko IN.YE3 + IN.K806
3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater
-	-	-	Adaptive Flow Control
<b>FEATURES</b>			
5-Layer Insulation	5-Layer Insulation	7-Layer Insulation	7-Layer Insulation
Heat Pump Ready	Heat Pump Ready	Heat Pump Ready	Heat Pump Ready
LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting
Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover
Swim Pole and Base	Swim Pole and Base	Swim Pole and Base	Swim Pole and Base
-	Hand Rails	Hand Rails	Hand Rails
Solid ABS Base	Solid ABS Base	Solid ABS Base	Solid ABS Base
15 Amp Power Supply	25 Amp Power Supply	32 Amp Power Supply	32 Amp Power Supply

OPTIONAL EXTRAS
Steps   Ultra Zone   WIFI   Bluetooth Stereo   External Heat Pump





# ATLAS 6.0 STANDARD

DIMENSIONS: 5900x 2350mm x 1290mm

DRY WEIGHT: 1060KG

FILLED WEIGHT: 10080KG

WATER CAPACITY: 9020 LITRES

*\*Pro Premium model pictured.*



## ACRYLIC COLOUR OPTIONS



Ocean  
Wave



Sterling  
Marble



Midnight  
Opal

# ATLAS 6.0 SERIES



## SPECIFICATIONS

PLUNGE	HYDRO	PRO LUXURY	PRO PREMIUM
<b>PUMPS</b>			
-	2 x 3hp Swim Jet Pump	3 x 3hp Swim Jet Pump	2 x 3.5hp Swim Jet Pump 1 x 3hp Swim Jet Pump
1 x .5hp Filtration Pump	1 x .5hp Filtration Pump	1 x .5hp Filtration Pump	1 x .5hp Filtration Pump
<b>JETS</b>			
-	2 x Swim Jets	4 x Swim Jets	4 x Swim Jets
<b>FILTRATION &amp; SANITISATION</b>			
100sqft Filtration	100sqft Filtration	100sqft Filtration	100sqft Filtration
Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation
<b>CONTROLLER &amp; HEATING</b>			
Spa Tech C-III(200) +MP30	Spa Tech C-III(200) +MP30	Gecko IN.YE3 + IN.K1001	Gecko IN.YE3 + IN.K806
3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater
-	-	-	Adaptive Flow Control
<b>FEATURES</b>			
5-Layer Insulation	5-Layer Insulation	7-Layer Insulation	7-Layer Insulation
Heat Pump Ready	Heat Pump Ready	Heat Pump Ready	Heat Pump Ready
LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting
Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover
Swim Pole and Base	Swim Pole and Base	Swim Pole and Base	Swim Pole and Base
-	Hand Rails	Hand Rails	Hand Rails
Solid ABS Base	Solid ABS Base	Solid ABS Base	Solid ABS Base
15 Amp Power Supply	25 Amp Power Supply	32 Amp Power Supply	32 Amp Power Supply

OPTIONAL EXTRAS
Steps   Ultra Zone   WIFI   Bluetooth Stereo   External Heat Pump



# ATLANTIS 4.4 EXTRA DEPTH



DIMENSIONS: 4420x 2350mm x 1540mm

DRY WEIGHT: 935KG

FILLED WEIGHT: 9075KG

WATER CAPACITY: 8140 LITRES

*\*Pro Premium model pictured.*



## ACRYLIC COLOUR OPTIONS



Ocean  
Wave



Sterling  
Marble



Midnight  
Opal



# ATLANTIS 4.4 SERIES



## SPECIFICATIONS

PLUNGE	HYDRO	PRO LUXURY	PRO PREMIUM
<b>PUMPS</b>			
-	2 x 3hp Swim Jet Pump	3 x 3hp Swim Jet Pump	2 x 3.5hp Swim Jet Pump 1 x 3hp Swim Jet Pump
1 x 1hp Filtration Pump	1 x 1hp Filtration Pump	1 x 1hp Filtration Pump	1 x 1hp Filtration Pump
<b>JETS</b>			
-	2 x Swim Jets	4 x Swim Jets	4 x Swim Jets
<b>FILTRATION &amp; SANITISATION</b>			
100sqft Filtration	100sqft Filtration	100sqft Filtration	100sqft Filtration
Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation
<b>CONTROLLER &amp; HEATING</b>			
Spa Tech C-III(200) +MP30	Spa Tech C-III(200) +MP30	Gecko IN.YE3 + IN.K1001	Gecko IN.YE3 + IN.K806
3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater
-	-	-	Adaptive Flow Control
<b>FEATURES</b>			
5-Layer Insulation	5-Layer Insulation	7-Layer Insulation	7-Layer Insulation
Heat Pump Ready	Heat Pump Ready	Heat Pump Ready	Heat Pump Ready
LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting
Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover
Swim Pole and Base	Swim Pole and Base	Swim Pole and Base	Swim Pole and Base
-	Hand Rails	Hand Rails	Hand Rails
Solid ABS Base	Solid ABS Base	Solid ABS Base	Solid ABS Base
15 Amp Power Supply	25 Amp Power Supply	32 Amp Power Supply	32 Amp Power Supply

OPTIONAL EXTRAS
Steps   Ultra Zone   WIFI   Bluetooth Stereo   External Heat Pump



# ATLANTIS 6.0 EXTRA DEPTH

DIMENSIONS: 5900x 2350mm x 1540mm

DRY WEIGHT: 1280KG

FILLED WEIGHT: 12300KG

WATER CAPACITY: 11020 LITRES

*\*Pro Premium model pictured.*



## ACRYLIC COLOUR OPTIONS



Ocean  
Wave



Sterling  
Marble



Midnight  
Opal

# ATLANTIS 6.0 SERIES



## SPECIFICATIONS

PLUNGE	HYDRO	PRO LUXURY	PRO PREMIUM
<b>PUMPS</b>			
-	2 x 3hp Swim Jet Pump	3 x 3hp Swim Jet Pump	2 x 3.5hp Swim Jet Pump 1 x 3hp Swim Jet Pump
1 x 1hp Filtration Pump	1 x 1hp Filtration Pump	1 x 1hp Filtration Pump	1 x 1hp Filtration Pump
<b>JETS</b>			
-	2 x Swim Jets	4 x Swim Jets	4 x Swim Jets
<b>FILTRATION &amp; SANITISATION</b>			
100sqft Filtration	100sqft Filtration	100sqft Filtration	100sqft Filtration
Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation
<b>CONTROLLER &amp; HEATING</b>			
Spa Tech C-III(200) +MP30	Spa Tech C-III(200) +MP30	Gecko IN.YE3 + IN.K1001	Gecko IN.YE3 + IN.K806
3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater
-	-	-	Adaptive Flow Control
<b>FEATURES</b>			
5-Layer Insulation	5-Layer Insulation	7-Layer Insulation	7-Layer Insulation
Heat Pump Ready	Heat Pump Ready	Heat Pump Ready	Heat Pump Ready
LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting
Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover
Swim Pole and Base	Swim Pole and Base	Swim Pole and Base	Swim Pole and Base
-	Hand Rails	Hand Rails	Hand Rails
Solid ABS Base	Solid ABS Base	Solid ABS Base	Solid ABS Base
15 Amp Power Supply	25 Amp Power Supply	32 Amp Power Supply	32 Amp Power Supply

OPTIONAL EXTRAS
Steps   Ultra Zone   WIFI   Bluetooth Stereo   External Heat Pump





# ATLANTIS 7.0 EXTRA DEPTH

DIMENSIONS: 7050x 2350mm x 1540mm

DRY WEIGHT: 1530KG

FILLED WEIGHT: 14810KG

WATER CAPACITY: 13280 LITRES

*\*Pro Premium model pictured.*



## ACRYLIC COLOUR OPTIONS



Ocean  
Wave



Sterling  
Marble



Midnight  
Opal

# ATLANTIS 7.0 SERIES



## SPECIFICATIONS

HYDRO	PRO LUXURY	PRO PREMIUM
<b>PUMPS</b>		
2 x 3hp Swim Jet Pump	3 x 3hp Swim Jet Pump	2 x 3.5hp Swim Jet Pump 1 x 3hp Swim Jet Pump
1 x 1hp Filtration Pump	1 x 1hp Filtration Pump	1 x 1hp Filtration Pump
<b>JETS</b>		
2 x Swim Jets	4 x Swim Jets	4 x Swim Jets
<b>FILTRATION &amp; SANITISATION</b>		
100sqft Filtration	100sqft Filtration	100sqft Filtration
Ozone Sanitisation	Ozone Sanitisation	Ozone Sanitisation
<b>CONTROLLER &amp; HEATING</b>		
Spa Tech C-III(200) +MP30	Gecko IN.YE3 + IN.K1001	Gecko IN.YE3 + IN.K806
3KW Stainless Steel Heater	3KW Stainless Steel Heater	3KW Stainless Steel Heater
-	-	Adaptive Flow Control
<b>FEATURES</b>		
5-Layer Insulation	7-Layer Insulation	7-Layer Insulation
Heat Pump Ready	Heat Pump Ready	Heat Pump Ready
LED & Waterlevel Lighting	LED & Waterlevel Lighting	LED & Waterlevel Lighting
Lockable Hard Cover	Lockable Hard Cover	Lockable Hard Cover
Swim Pole and Base	Swim Pole and Base	Swim Pole and Base
Hand Rails	Hand Rails	Hand Rails
Solid ABS Base	Solid ABS Base	Solid ABS Base
25 Amp Power Supply	32 Amp Power Supply	32 Amp Power Supply

OPTIONAL EXTRAS
Steps   Ultra Zone   WIFI   Bluetooth Stereo   External Heat Pump





# INDULGE IN THE ULTIMATE SWIMMING EXPERIENCE

## PATENTED TURBO SWIM JETS POSITIONED FOR MAXIMUM RESISTANCE

Oasis revolutionary patented 3 inch turbo swimming jets provide a powerful yet smooth resistance for an unparalleled swimming experience.

Correct jet positioning is crucial. Our swim jets target the shoulders and chest to create maximum resistance. Low or wide jets just waste water flow.

## EXTRA DEEP SWIM AREA

Oasis Spas are proud to offer a range of extra depth and standard depth options in our Plunge pool range. With 1540mm of depth in our extra depth models, you can comfortably swim endlessly at your desired pace.

**STANDARD:**  
1290mm



**EXTRA DEPTH:**  
1540mm



*Person represents 6ft in height*





# ADAPTIVE FLOW CONTROL AT YOUR FINGERTIPS

After years of development and testing, Oasis have introduced new patented swim jet technology to our entire Oasis Plunge Pool range with the 3-inch Turbo Swim Jet.

Our Turbo Swim Jets have a smooth continuous flow, with the resistance required to provide an unparalleled swimming experience. Combined with our superior Japanese made inverter system offering 10 speed variants for differing swimming styles and abilities, Oasis Spas has created the best swim experience available.

Swimming on the spot is made possible due to resistance against a continuous strong and smooth water flow. To swim properly, you need powerful pumps and unrestricted swim jets. Precise swim jet positioning is also necessary so the water flow targets the body for maximum resistance.

Most Plunge Pools use smaller round swim jets, which can be good for a targeted resistance but these create a harsh flow which reduces the swim experience. Others use wide blade jets which create a smoother effect; however these jets lack the power required for strong resistance.



*\*Pro Premium model only.*

# SWIM ALL YEAR ROUND AND SAVE UP TO 75% ON YOUR ELECTRICITY COSTS

Are you looking for the most energy efficient way of heating your spa? Compared to gas or electric heaters, an air sourced heat pump uses a small amount of energy to generate a large amount of heat output. This energy efficient alternative can save you up to 75% on heating costs.

Apart from heating your swim spa more efficiently in the cooler months, it also works to cool your water down to a more refreshing temperature in summer. Available from 5.99kW to 12.02kW we have a model to suit every Oasis swim spa.







# GET CONNECTED WITH GECKO WIFI AND STEREO



## IN.TOUCH WIFI\*

The ultimate wireless controller for your plunge pool. In.Touch allows you to access the functions and features of your plunge pool, even if you are away from home. Notifications keep you informed on the status of your plunge pool. Allowing you to control your plunge pool from your phone or tablet.



## IN.STREAM STEREO\*

Streamed from your plunge pool, your favorite music never sounded so good! Designed to deliver clean, crisp rich sound in the high-fidelity rendition expected by music lovers, in.stream features Class D amplifier technology to enhance your outdoor audio experience.



## ULTRA ZONE SANITISATION UPGRADE

Ultra Zone combines Ozone generation with UV-C sterilisation. A powerful oxidiser inactivating bacteria, burning off unwanted organic matter, leaving your pool water safe and clean whilst reducing your normal sanitiser usage by up to 70%.

*\*Pro Luxury and Pro Premium models only*



# ACRYLIC AND CABINET COLOUR OPTIONS

In addition to Optix XL Acrylic's excellent gloss and colour retention, surfaces are naturally impervious to microbes. The non-porous nature of Aristech's acrylic defends against the penetration and subsequent growth of microorganisms on its surface. Oasis Spas are shielded against microbes, easy to clean and durable.



Sterling Marble



Ocean Wave



Midnight Opal



Slate Grey Cabinet



Mocha Cabinet

# FEATURES AND BENEFITS

## AMERICAN ACRYLIC

In addition to Aristech Acrylic's excellent gloss and colour retention, surfaces are naturally impervious to microbes and subsequent growth of microorganisms on its surface.

## CONSTRUCTION

Uncompromising pursuit of craftsmanship and quality has enabled Oasis Plunge Pools to be at the forefront of progressive luxury. Our super strong galvanised steel frame is engineered to support the sides of the plunge pool to stop stress and flex on the shell. All welds treated with multi-stage "cold gal" for extra protection.

## INSULATION

In a nutshell, your insulation affects running costs. Oasis understands this, therefore our insulation ensures minimal heat loss during running time and provides the most efficient running costs.

## FILTRATION

Huge 100 square foot, 2 cartridge filtration system maximises filtration and water clarity. Our larger filter system also means you won't need to clean your filters as often. Combined with the anti-microbial filters means less chemical is needed.

## FEATURES

- \* Swim Pole System
- \* Exercise Band
- \* Hand Rail (*Not included on Plunge model*)
- \* Easy Care Ozone System
- \* Heat Pump Ready

## CABINET

Made from UV protected synthetic timber. No sanding or oiling required, just spray the cabinet with a hose if it's dirty and you are all done.

## OZONE WITH BOOST CHAMBER

Automatically kills germs and breaks down body oils for reduced chemical usage. Our Patented mixing chamber maximises ozone efficiency and protects you and your spa.

## HEAT PUMP READY

All plumbing and connections in place, just connect an external heat pump to the plumbing and start saving up to 75%.





FIND US ON



[www.oasis spas.com.au](http://www.oasis spas.com.au)

All specifications relating to products included in the catalogue are true and correct at time of printing.  
Some specifications of the advertised products are subject to change without notice.